

Retrieve Delegates

Retrieves the delegates linked with an intermediary based on **itemId** , **intermediaryTaxId**, **delegatedTaxId**.

```
[GET]/api/v1/{itemId}/intermediary/{intermediaryTaxId}/delegated
```

```
[GET]/api/v1/{itemId}/intermediary/{intermediaryTaxId}/delegated/{delegatedTaxId}
```

delegatedTaxId parameter is optional.

Response: List of delegates.

Header

Header used on this API are those taken from [header standards of TS Digital](#).

Content-type is accepted in `application/json`

Query Parameters

Parameters used to make a successful request.

- **itemId**: Unique personal identification of the item associated with an Intermediary. Mandatory for personal or technical users. (**required**)
- **intermediaryTaxId**: Unique fiscal code associated with with an intermediary . (**required**)
- **delegatedTaxId**: Unique fiscal code associated with with an delegated. (**optional**)

Body

No body is needed to make this request.

Response

On successful response

If successful, the **API** responds with HTTP code **200(OK)** with the following body:

```
[
  {
    "id": "string",
    "taxId": "string",
    "firstName": "string",
    "lastName": "string",
    "description": "string",
    "deleted": true,
    "deletedAt": "2022-05-06T12:21:24.675Z",
    "deletedBy": "string",
    "intermediaryId": "string",
    "createdAt": "2022-05-06T12:21:24.675Z",
    "createdBy": "string",
    "updatedAt": "2022-05-06T12:21:24.675Z",
    "updatedBy": "string"
  }
]
```

- **id:** Unique identifier.
- **taxId:** Fiscal code associated with the Intermediary requested.
- **firstName:** First name of the item associated with requested delegated.
- **lastName:** First name of the item associated with requested delegated.
- **description:** Description of the Intermediary requested.
- **deleted:** Boolean value , describes if Delegated requested is deleted or not.
- **deletedAt:** Date of Delegated, if it's deleted.
- **deletedBy:** Item which deleted requested Delegated.
- **createdAt:** Date of Delegated creation.
- **createdBy:** Item which created requested Delegated.
- **updatedAt:** Date of the last update for the requested Delegated.
- **updatedBy:** Item which updated requested Delegated.

On error response

In the event of an error, the **API** responds with a body **JSON** with the following format:

```
{
  "code": "string",
  "timestamp": "2022-05-05T12:46:42.016Z",
```

```
"message": "string",  
"subErrors": [  
  {}  
]  
}
```

- **code**: A string representation of the HTTP error code, linked with the returned http error
- **timestamp**: Date and time of the answer, expressed as a string.
- **message**: Message expressing error.

Possible errors are:

- **400**: The request is malformed (parameters with incorrect format, invalid or inconsistent parameters).
- **401**: An authorization token has not been provided or the authorization token provided is invalid (eg: it has expired).
- **403**: The provided token is valid, but the user is not authorized to perform the operation.
- **500**: An unexpected error occurred.

Revision #5

Created 2022-05-06 09:53:52 UTC by Arbis Malasi

Updated 2022-05-06 12:24:43 UTC by Arbis Malasi